

Supplier: Array Connector Corp.

Government Designation: MS3110
Manufacturer's Designation: PW00 ()
Class: E, P, F, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: Array Connector Corp.

Government Designation: MS3110
Manufacturer's Designation: BT00 ()
Class: P, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

**Supplier: ITT Cannon
ITT Cannon (Mexico)**

Government Designation: MS3110
Manufacturer's Designation: KPT00 ()
Class: E, F, P, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Array Connector Corp.

Government Designation: MS3110
Manufacturer's Designation: BT00 ()
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Array Connector Corp.

Government Designation: MS3110
Manufacturer's Designation: 85-00 ()
Class: E, F, P, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83, 26482-361-84
Class Code JC is used for the military class J

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3110
Manufacturer's Designation: PT00 ()
Class: E, P, F, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Souriau

Government Designation: MS3110
 Manufacturer's Designation: 851-00()
 Class: F, E, P, J
 Contact Style: P, S
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 11, 30, 32
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 21, 32, 34, 35
 Shell: 24 Insert: 61
 Test or Qualification Reference: 26492-1159-83

Supplier: Souriau USA, Inc.

Government Designation: MS3111
 Manufacturer's Designation: BT01 ()
 Class: E, F
 Contact Style: P, S
 Shell: 8 Insert: 2, 3, 4
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 11, 32
 Shell: 20 Insert: 16, 27, 39, 41
 Shell: 22 Insert: 21, 32, 55
 Shell: 24 Insert: 61
 Test or Qualification Reference: 26482-1281-83

Supplier: Array Connector Corp.

Government Designation: MS3111
 Manufacturer's Designation: PW01 ()
 Class: E, P, F, J
 Contact Style: P, S
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26, 99
 Shell: 18 Insert: 11, 30, 32
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 21, 32, 34, 41, 55
 Shell: 24 Insert: 31, 61
 Test or Qualification Reference: 26482-454-91

Supplier: VEAM

Government Designation: MS3110
 Manufacturer's Designation: VPT00 ()
 Class: E, P, J, F
 Contact Style: P, S
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 11, 26, 30
 Shell: 20 Insert: 16, 24, 39, 41
 Shell: 22 Insert: 21, 41, 55
 Shell: 24 Insert: 61
 Test or Qualification Reference: 26482-348-84

Supplier: Souriau USA, Inc.

Government Designation: MS3111
 Manufacturer's Designation: BT01 ()
 Class: P, J
 Contact Style: P, S
 Shell: 8 Insert: 2, 3, 4
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 11, 30, 32
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 21, 32, 34, 55
 Shell: 24 Insert: 61
 Test or Qualification Reference: 26482-1281-83

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3111
 Manufacturer's Designation: PT01 ()
 Class: E, P, F, J
 Contact Style: P, S
 Shell: 8 Insert: 2, 3, 4
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26, 99
 Shell: 18 Insert: 11, 30, 32
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 21, 32, 41, 55
 Shell: 24 Insert: 61
 Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon**ITT Cannon (Mexico)**

Government Designation: MS3111

Manufacturer's Designation: KPT01 ()

Class: E, F, P, J

Contact Style: P, S

Shell: 8 Insert: 2, 3, 4, 33

Shell: 10 Insert: 6, 98

Shell: 12 Insert: 3, 8, 10

Shell: 14 Insert: 5, 12, 15, 18, 19

Shell: 16 Insert: 8, 23, 26, 99

Shell: 18 Insert: 11, 30, 32

Shell: 20 Insert: 16, 24, 39, 41

Shell: 22 Insert: 21, 32, 34, 41

Shell: 24 Insert: 61

Test or Qualification Reference: 26482-80-84

Supplier: Souriau

Government Designation: MS3111

Manufacturer's Designation: 85-01 ()

Class: E, F, P, J

Contact Style: P, S

Shell: 8 Insert: 2, 3, 4, 33, 98

Shell: 10 Insert: 6, 98

Shell: 12 Insert: 3, 8, 10

Shell: 14 Insert: 5, 12, 15, 18, 19

Shell: 16 Insert: 8, 23, 26

Shell: 18 Insert: 11, 30, 32

Shell: 20 Insert: 16, 24, 27, 39, 41

Shell: 22 Insert: 21, 32, 34, 55

Shell: 24 Insert: 61

Test or Qualification Reference: 26482-1159-83, 26482-361-84

Class Code JC is used for the military class J.**Supplier: Array Connector Corp.**

Government Designation: MS3112

Manufacturer's Designation: PW02 ()

Class: E

Contact Style: P, S

Shell: 8 Insert: 2, 3, 4, 33, 98

Shell: 10 Insert: 6, 98

Shell: 12 Insert: 3, 8, 10

Shell: 14 Insert: 5, 12, 15, 18, 19

Shell: 16 Insert: 8, 23, 26, 99

Shell: 18 Insert: 11, 30, 32

Shell: 20 Insert: 16, 24, 27, 39, 41

Shell: 22 Insert: 21, 32, 34, 41, 55

Shell: 24 Insert: 31, 61

Test or Qualification Reference: 26482-454-91

Supplier: VEAM

Government Designation: MS3111

Manufacturer's Designation: VPT01 ()

Class: E, P, F, J

Contact Style: P, S

Shell: 8 Insert: 2, 3, 4, 33, 98

Shell: 10 Insert: 6

Shell: 12 Insert: 3, 8, 10

Shell: 14 Insert: 5, 12, 15, 18, 19

Shell: 16 Insert: 8, 23, 26

Shell: 18 Insert: 11, 30, 32

Shell: 20 Insert: 16, 24, 39, 41

Shell: 22 Insert: 21, 41, 55

Shell: 24 Insert: 61

Test or Qualification Reference: 26482-348-84

Supplier: Souriau USA, Inc.

Government Designation: MS3112

Manufacturer's Designation: BT02 ()

Class: E

Contact Style: P, S

Shell: 8 Insert: 2, 3, 4

Shell: 10 Insert: 6, 98

Shell: 12 Insert: 3, 8, 10

Shell: 14 Insert: 5, 12, 15, 18, 19

Shell: 16 Insert: 8, 23, 26

Shell: 18 Insert: 11, 30, 32

Shell: 20 Insert: 16, 24, 27, 39, 41

Shell: 22 Insert: 21, 32, 34, 55

Shell: 24 Insert: 61

Test or Qualification Reference: 26482-1281-83

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3112

Manufacturer's Designation: PT02 ()

Class: E

Contact Style: P, S

Shell: 8 Insert: 2, 3, 4

Shell: 10 Insert: 6, 98

Shell: 12 Insert: 3, 8, 10

Shell: 14 Insert: 5, 12, 15, 18, 19

Shell: 16 Insert: 8, 23, 26, 99

Shell: 18 Insert: 11, 30, 32

Shell: 20 Insert: 16, 24, 27, 39, 41

Shell: 22 Insert: 21, 32, 41, 55

Shell: 24 Insert: 61

Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon**ITT Cannon (Mexico)**

Government Designation: MS3112

Manufacturer's Designation: KPT02 ()

Class: E

Contact Style: P, S

Shell: 8 Insert: 2, 3, 4, 33

Shell: 10 Insert: 6, 98

Shell: 12 Insert: 3, 8, 10

Shell: 14 Insert: 5, 12, 15, 18, 19

Shell: 16 Insert: 8, 23, 26, 99

Shell: 18 Insert: 11, 30, 32

Shell: 20 Insert: 16, 24, 39, 41

Shell: 22 Insert: 21, 32, 34, 41, 55

Shell: 24 Insert: 61

Test or Qualification Reference: 26482-80-84

Supplier: Souriau

Government Designation: MS3112

Manufacturer's Designation: 85-02 ()

Class: E

Contact Style: P, S

Shell: 8 Insert: 2, 3, 4, 33, 98

Shell: 10 Insert: 6, 98

Shell: 12 Insert: 3, 8, 10

Shell: 14 Insert: 5, 12, 15, 18, 19

Shell: 16 Insert: 8, 23, 26

Shell: 18 Insert: 11, 30, 32

Shell: 20 Insert: 16, 24, 27, 39, 41

Shell: 22 Insert: 21, 32, 34, 55

Shell: 24 Insert: 61

Test or Qualification Reference: 26482-1159-83, 26482-361-84

Supplier: Sealtron, Inc.

Government Designation: MS3113

Manufacturer's Designation: 8312 ()

Class: H

Terminal Type: A, B, C, Y

Contact Style: P

Shell: 8 Insert: 2, 3, 4, 33, 98

Shell: 10 Insert: 6, 98

Shell: 12 Insert: 3, 8, 10

Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22

Shell: 16 Insert: 8, 14, 23, 26, 95, 99

Shell: 18 Insert: 8, 11, 30, 32, 85, 88

Shell: 20 Insert: 16, 24, 27, 39, 41

Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96

Shell: 24 Insert: 19, 27, 31, 61

Test or Qualification Reference: 26482-652-84

Term Types A and B added due to proof of tooling.**Supplier: VEAM**

Government Designation: MS3112

Manufacturer's Designation: VPT02 ()

Class: E

Contact Style: P, S

Shell: 8 Insert: 2, 3, 4, 33, 98

Shell: 10 Insert: 6

Shell: 12 Insert: 3, 8, 10

Shell: 14 Insert: 5, 12, 15, 18, 19

Shell: 16 Insert: 8, 23, 26

Shell: 18 Insert: 11, 30, 32

Shell: 20 Insert: 16, 24, 39, 41

Shell: 22 Insert: 21, 41, 55

Shell: 24 Insert: 61

Test or Qualification Reference: 26482-348-84

Supplier: Deutsch (Municipal Airport)

Government Designation: MS3113

Manufacturer's Designation: 22628 ()

Class: H

Terminal Type: A, C, Y

Contact Style: P

Shell: 8 Insert: 3, 4

Shell: 10 Insert: 6

Shell: 12 Insert: 3, 10

Shell: 14 Insert: 5, 12, 15, 19

Shell: 16 Insert: 8, 26

Shell: 18 Insert: 11, 32

Shell: 20 Insert: 16, 39, 41

Shell: 22 Insert: 21, 55

Shell: 24 Insert: 61

Test or Qualification Reference: 26482-626-84

Supplier: ITT Cannon

Government Designation: MS3113

Manufacturer's Designation: KPT1H ()

Class: H

Terminal Type: C, Y

Contact Style: P

Shell: 8 Insert: 2, 3, 4, 33

Shell: 10 Insert: 6

Shell: 12 Insert: 3, 8, 10

Shell: 14 Insert: 5, 12, 15, 18, 19

Shell: 16 Insert: 23, 26

Shell: 18 Insert: 11, 30, 32

Shell: 20 Insert: 16, 24, 39, 41

Shell: 22 Insert: 21, 41, 55

Shell: 24 Insert: 34, 61

Test or Qualification Reference: 26482-80-84

Supplier: Glasseal Products, Inc.

Government Designation: MS3113
 Manufacturer's Designation: GB1H ()
 Class: H
 Terminal Type: A, B, C, Y
 Contact Style: P
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
 Shell: 16 Insert: 8, 14, 23, 26, 95, 99
 Shell: 18 Insert: 11, 30, 32, 85, 88
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
 Shell: 24 Insert: 19, 27, 31, 34, 61
 Test or Qualification Reference: 26482-880-84

Supplier: Hermetic Seal Corporation

Government Designation: MS3113
 Manufacturer's Designation: HR-SS7002 ()
 Class: H
 Terminal Type: A, B, C, Y
 Contact Style: P
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
 Shell: 16 Insert: 8, 14, 23, 26, 95, 99
 Shell: 18 Insert: 8, 11, 30, 32, 85, 88
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
 Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
 Shell: 24 Insert: 19, 27, 31, 61
 Shell: 24D Insert: 19, 27, 31, 61
 Test or Qualification Reference: 26482-356-84

Supplier: Sealtron, Inc.

Government Designation: MS3114
 Manufacturer's Designation: 8315 ()
 Class: h
 Terminal Type: A, B, C, Y
 Contact Style: P
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
 Shell: 16 Insert: 8, 14, 23, 26, 95, 99
 Shell: 18 Insert: 8, 11, 30, 32, 85, 88
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
 Shell: 24 Insert: 19, 27, 31, 61
 Test or Qualification Reference: 26482-652-84

Term Types A and B added due to proof of tooling.**Supplier: Amphenol Aerospace/Amphenol Connectors**

Government Designation: MS3113
 Manufacturer's Designation: PT1 ()
 Class: H
 Terminal Type: A, B, C, Y
 Contact Style: P
 Shell: 8 Insert: 2, 3, 4, 33
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 10
 Shell: 14 Insert: 5, 12, 15, 19
 Shell: 16 Insert: 8, 26
 Shell: 18 Insert: 11, 32
 Shell: 20 Insert: 16, 39, 41
 Shell: 22 Insert: 21, 41, 55
 Shell: 24 Insert: 61
 Test or Qualification Reference: 26482-1323-83

Supplier: Glasseal Products, Inc.

Government Designation: MS3114
 Manufacturer's Designation: GB7H ()
 Class: H
 Terminal Type: A, B, C, Y
 Contact Style: P
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
 Shell: 16 Insert: 8, 14, 23, 26, 95, 99
 Shell: 18 Insert: 8, 11, 30, 32, 85, 88
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
 Shell: 24 Insert: 19, 27, 31, 34, 61
 Test or Qualification Reference: 26482-880-84

Supplier: VEAM

Government Designation: MS3114
 Manufacturer's Designation: VPT07 ()
 Class: E, P, F
 Contact Style: P, S
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 11, 30, 32
 Shell: 20 Insert: 16, 24, 39, 41
 Shell: 22 Insert: 21, 41, 55
 Shell: 24 Insert: 61
 Test or Qualification Reference: 26482-348-84

Supplier: ITT Cannon

Government Designation: MS3114
Manufacturer's Designation: KPT7H ()
Class: H
Terminal Type: C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Hermetic Seal Corporation

Government Designation: MS3114
Manufacturer's Designation: HR-SS7202 ()
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 11, 30, 32, 85, 88
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Deutsch (Municipal Airport)

Government Designation: MS3114
Manufacturer's Designation: 22702 ()
Class: H
Terminal Type: A
Contact Style: A
Shell: 16 Insert: 8, 26
Test or Qualification Reference: 26482-626-84

Supplier: ITT Cannon

ITT Cannon (Mexico)

Government Designation: MS3114
Manufacturer's Designation: KPT07 ()
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Souriau

Government Designation: MS3114
Manufacturer's Designation: 85-07 ()
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83, 26483-361-84

Supplier: Deutsch (Municipal Airport)

Government Designation: MS3114
Manufacturer's Designation: MS3114
Class: H
Terminal Type: C, Y
Contact Style: P
Shell: 8 Insert: 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-626-84

Supplier: Souriau USA, Inc.

Government Designation: MS3114
Manufacturer's Designation: BT07 ()
Class: P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3114
Manufacturer's Designation: PT07 ()
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3114
Manufacturer's Designation: PT07 ()
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon
ITT Cannon (Mexico)**

Government Designation: MS3115
Manufacturer's Designation: PVS15 ()
Finish: A, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-92-85

Supplier: Souriau USA, Inc.

Government Designation: MS3114
Manufacturer's Designation: BT07 ()
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Array Connector Corp.

Government Designation: MS3114
Manufacturer's Designation: PW07 ()
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3115
Manufacturer's Designation: 10-263999-()
Finish: L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-1548-85

Supplier: Glenair, Inc.

Government Designation: MS3115
Manufacturer's Designation: 650D001 ()
Finish: A, C, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-227-83

Supplier: Array Connector Corp.

Government Designation: MS3115
Manufacturer's Designation: PW15 ()
Finish: A, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-012-98

Supplier: Array Connector Corp.

Government Designation: MS3116
Manufacturer's Designation: PW06 ()
Class: E, F, P, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3116
Manufacturer's Designation: PT06
Class: E, P, F, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Souriau

Government Designation: MS3116
Manufacturer's Designation: 85-06 ()
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83, 26482-361-84
Class Code JC, is used for the military class J.

Supplier: Souriau USA, Inc.

Government Designation: MS3116
Manufacturer's Designation: BT06 ()
Class: J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 16482-1281-83

Supplier: Souriau USA, Inc.

Government Designation: MS3116
Manufacturer's Designation: BT06 ()
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 16482-1281-81

Supplier: ITT Cannon

ITT Cannon (Mexico)

Government Designation: MS3116
Manufacturer's Designation: KPT06 ()
Class: P, J, E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61

Test or Qualification Reference: 26482-80-84

Class Code JC is used for the military class J.

Supplier: Array Connector Corp.

Government Designation: MS3119
Manufacturer's Designation: PWB ()
Class: E
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61

Test or Qualification Reference: 26482-117-98

Supplier: VEAM

Government Designation: MS3120
Manufacturer's Designation: VPT00S ()
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61

Test or Qualification Reference: 26482-348-84

Supplier: VEAM

Government Designation: MS3116
Manufacturer's Designation: VPT06 ()
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: ITT Cannon

ITT Cannon (Mexico)

Government Designation: MS3119
Manufacturer's Designation: KPTB ()
Class: E
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61

Test or Qualification Reference: 26482-80-84

Supplier: Array Connector Corp.

Government Designation: MS3120
Manufacturer's Designation: PWF00 ()
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61

Test or Qualification Reference: 26482-013-98

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3120
Manufacturer's Designation: PT005 ()
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Souriau USA, Inc.

Government Designation: MS3120
Manufacturer's Designation: L () ONA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-013-98

Supplier: Array Connector Corp.

Government Designation: MS3121
Manufacturer's Designation: PWF01 ()
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: ITT Cannon

ITT Cannon (Mexico)

Government Designation: MS3120
Manufacturer's Designation: KPSE00 ()
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3121
Manufacturer's Designation: PT01S ()
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Souriau USA, Inc.

Government Designation: MS3121
Manufacturer's Designation: L () 1NA
Class: E, F, P
Contact Style: P, S
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: ITT Cannon
ITT Cannon (Mexico)

Government Designation: MS3121
Manufacturer's Designation: KPSE01 ()
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: ITT Cannon
ITT Cannon (Mexico)

Government Designation: MS3122
Manufacturer's Designation: KPSE02 ()
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Souriau USA, Inc.

Government Designation: MS3122
Manufacturer's Designation: L () 2NA
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: VEAM

Government Designation: MS3121
Manufacturer's Designation: VPT01S ()
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26842-348-84

Supplier: VEAM

Government Designation: MS3122
Manufacturer's Designation: VPT02S ()
Class: E
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: Array Connector Corp.

Government Designation: MS3122
Manufacturer's Designation: PWF02 ()
Class: E
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3122
Manufacturer's Designation: PT02S ()
Class: E
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Souriau USA, Inc.

Government Designation: MS3124
Manufacturer's Designation: L () 4NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: VEAM

Government Designation: MS3124
Manufacturer's Designation: VPT07S ()
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: Array Connector Corp.

Government Designation: MS3124
Manufacturer's Designation: PWF07 ()
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: ITT Cannon

ITT Cannon (Mexico)

Government Designation: MS3124
Manufacturer's Designation: KPSE07 ()
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3124
Manufacturer's Designation: PT07S ()
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3126
Manufacturer's Designation: PT06S ()
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Souriau USA, Inc.

Government Designation: MS3126
Manufacturer's Designation: L () 6NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

**Supplier: ITT Cannon
ITT Cannon (Mexico)**

Government Designation: MS3126
Manufacturer's Designation: KPSE06 ()
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Array Connector Corp.

Government Designation: MS3126
Manufacturer's Designation: PWF06 ()
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: VEAM

Government Designation: MS3126
Manufacturer's Designation: VPT06S ()
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: Souriau USA, Inc.

Government Designation: MS3127
Manufacturer's Designation: L 9 0 7NA
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: ITT Cannon
ITT Cannon (Mexico)

Government Designation: MS3127
Manufacturer's Designation: KP27 ()
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3128
Manufacturer's Designation: MF00S ()
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)

Government Designation: MS3128
Manufacturer's Designation: KP28 ()
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Southwest Connector Technologies, Inc.

Government Designation: MS3180
Manufacturer's Designation: ST80 ()
Dash Number: 8c, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8R, 10R, 12R, 14R, 16R, 18R, 20R, 22R, 24R
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-024-98

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3127
Manufacturer's Designation: MF02S ()
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Souriau USA, Inc.

Government Designation: MS3128
Manufacturer's Designation: L () 8NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: Sunbank Electronics, Inc.

Government Designation: MS3180
Manufacturer's Designation: SE91E ()
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8R, 10R, 12R, 14R, 16R, 18R, 20R, 22R, 24R
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-852-83

Supplier: VEAM

Government Designation: MS3180
Manufacturer's Designation: VE3180 ()
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-348-84

Supplier: ITT Cannon

ITT Cannon (Mexico)

Government Designation: MS3180
Manufacturer's Designation: PVS80 ()
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-92-85

Supplier: Array Connector Corp.

Government Designation: MS3180
Manufacturer's Designation: PW80 ()
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C
Finish: A
Length: L
Test or Qualification Reference: 26482-011-98

Supplier: Array Connector Corp.

Government Designation: MS3181
Manufacturer's Designation: PW81 ()
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N
Finish: A
Length: L
Test or Qualification Reference: 26482-011-98

Supplier: ITT Cannon

ITT Cannon (Mexico)

Government Designation: MS3181
Manufacturer's Designation: PVS81 ()
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-92-85

Supplier: VEAM

Government Designation: MS3181
Manufacturer's Designation: VE3181 ()
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-348-84

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3181
Manufacturer's Designation: 10-570302, 10-257937
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N, 8R, 10R, 12R, 14R, 16R, 18R, 20R, 22R, 24R
Finish: A
Length: STD, L
Test or Qualification Reference: NAC 03.02/04-14-81, 26482-1548-85

Supplier: Glenair, Inc.

Government Designation: MS3180
Manufacturer's Designation: 660-008G ()
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8R, 10R, 12R, 14R, 16R, 18R, 20R, 22R, 24R
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-1169-83

Supplier: ITT Cannon

ITT Cannon (Mexico)

Government Designation: MS3180
Manufacturer's Designation: 10-570301, 10-257935
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8R, 10R, 12R, 14R, 16R, 18R, 20R, 22R, 24R
Finish: A
Length: std, L
Test or Qualification Reference: NAC 03.02/04-14-81

Supplier: Glenair, Inc.

Government Designation: MS3181
Manufacturer's Designation: 660-009G
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N, 8R, 10R, 12R, 14R, 16R, 18R, 20R, 22R, 24R
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-1170-83

Supplier: Sunbank Electronics, Inc.

Government Designation: MS3181
Manufacturer's Designation: SE91E ()
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8R3, 12R, 14R, 16R, 18R, 20R, 22R, 24R, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-852-83

Supplier: Southwest Connector Technologies, Inc.

Government Designation: MS3181
Manufacturer's Designation: ST81 ()
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N, 8R, 10R, 12R, 14R, 16R, 18R, 20R, 22R, 24R
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-024-98

Supplier: Glasseal Products, Inc.

Government Designation: MS3440
 Manufacturer's Designation: 440 ()
 Class: H
 Terminal Type: C
 Contact Style: P
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
 Shell: 16 Insert: 8, 14, 23, 26, 95, 99
 Shell: 18 Insert: 8, 11, 30, 32, 85, 88
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
 Shell: 24 Insert: 19, 27, 31, 61
 Test or Qualification Reference: 26482-944-85

Supplier: Souriau

Government Designation: MS3440
 Manufacturer's Designation: 85262
 Class: H
 Terminal Type: C
 Contact Style: P
 Shell: 8 Insert: 33
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 10
 Shell: 14 Insert: 5, 12, 15, 19
 Shell: 16 Insert: 8, 26
 Shell: 18 Insert: 32
 Shell: 20 Insert: 16, 41
 Shell: 22 Insert: 21, 41, 55
 Shell: 24 Insert: 61
 Test or Qualification Reference: 26482-115-87

Supplier: Hermetic Seal Corporation

Government Designation: MS3440
 Manufacturer's Designation: HR-SS9A ()
 Class: H
 Terminal Type: A, B, C
 Contact Style: P
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
 Shell: 16 Insert: 8, 14, 23, 26, 95, 99
 Shell: 18 Insert: 8, 11, 30, 32, 85, 88
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
 Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
 Shell: 24 Insert: 19, 27, 31, 61
 Shell: 24D Insert: 19, 27, 31, 61
 Test or Qualification Reference: 26482-356-84

Supplier: Deutsch (Municipal Airport)

Government Designation: MS3440
 Manufacturer's Designation: DBC50 (), P-5122
 Class: H
 Contact Style: P
 Shell: 8C Insert: 33, 98
 Shell: 10C Insert: 6
 Shell: 12C Insert: 3, 8, 10
 Shell: 14C Insert: 4, 5, 12, 15, 18, 19
 Shell: 16C Insert: 8, 23, 26
 Shell: 18C Insert: 8, 11, 32
 Shell: 20C Insert: 16, 39, 41
 Shell: 22C Insert: 12, 21, 41, 55
 Shell: 24C Insert: 31, 61
 Test or Qualification Reference: 26482-626-84

Supplier: Sealtron, Inc.

Government Designation: MS3440
 Manufacturer's Designation: 6313-(), SP-M13 ()
 Class: H
 Terminal Type: A, B, C
 Contact Style: P
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
 Shell: 16 Insert: 8, 14, 23, 26, 95, 99
 Shell: 18 Insert: 8, 11, 30, 32, 85, 88
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
 Shell: 24 Insert: 19, 27, 31, 61
 Test or Qualification Reference: 26482-589-84

Supplier: Deutsch (Municipal Airport)

Government Designation: MS3442
 Manufacturer's Designation: DBC58 ()
 Class: H
 Contact Style: P
 Shell: 8C Insert: 33, 98
 Shell: 10C Insert: 6
 Shell: 12C Insert: 3, 8, 10
 Shell: 14C Insert: 4, 5, 12, 15, 18, 19
 Shell: 16C Insert: 8, 23, 26
 Shell: 18C Insert: 8, 11, 32
 Shell: 20C Insert: 16, 39, 41
 Shell: 22C Insert: 12, 21, 41, 55
 Shell: 24C Insert: 31, 61
 Test or Qualification Reference: 26482-626-84

Supplier: Glasseal Products, Inc.

Government Designation: MS3442
 Manufacturer's Designation: 442 ()
 Class: H
 Terminal Type: C
 Contact Style: P
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
 Shell: 16 Insert: 8, 14, 23, 26, 95, 99
 Shell: 18 Insert: 8, 11, 30, 32, 85, 88
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
 Shell: 24 Insert: 19, 27, 31, 61
 Test or Qualification Reference: 26482-944-85

Supplier: Sealtron, Inc.

Government Designation: MS3442
 Manufacturer's Designation: 442 ()
 Class: H
 Terminal Type: A, B, C
 Contact Style: P
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
 Shell: 16 Insert: 8, 14, 23, 26, 95, 99
 Shell: 18 Insert: 8, 11, 30, 32, 85, 88
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
 Shell: 24 Insert: 19, 27, 31, 61
 Test or Qualification Reference: 26482-589-84

Supplier: Souriau

Government Designation: MS3443
 Manufacturer's Designation: 85261 ()
 Class: H
 Terminal Type: C
 Contact Style: P
 Shell: 8 Insert: 33
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 10
 Shell: 14 Insert: 5, 12, 15, 19
 Shell: 16 Insert: 8, 26
 Shell: 18 Insert: 32
 Shell: 20 Insert: 16, 41
 Shell: 22 Insert: 21, 41, 55
 Shell: 24 Insert: 61
 Test or Qualification Reference: 26482-115-87

Supplier: Hermetic Seal Corporation

Government Designation: MS3442
 Manufacturer's Designation: HR-SS10A-()
 Class: H
 Terminal Type: A, B, C
 Contact Style: P
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
 Shell: 16 Insert: 8, 14, 23, 26, 95, 99
 Shell: 18 Insert: 8, 11, 30, 32, 85, 88
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
 Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
 Shell: 24 Insert: 19, 27, 31, 61
 Shell: 24D Insert: 19, 27, 31, 61
 Test or Qualification Reference: 26482-356-84

Supplier: Sealtron, Inc.

Government Designation: MS3443
 Manufacturer's Designation: 6312-(), SP-M13 ()
 Class: H
 Terminal Type: A, B, C
 Contact Style: P
 Shell: 8 Insert: 2, 3, 4, 33, 98
 Shell: 10 Insert: 6, 98
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
 Shell: 16 Insert: 8, 14, 23, 26, 95, 99
 Shell: 18 Insert: 8, 11, 30, 32, 85, 88
 Shell: 20 Insert: 16, 24, 27, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
 Shell: 24 Insert: 19, 27, 31, 61
 Test or Qualification Reference: 26482-589-84

Supplier: Deutsch (Municipal Airport)

Government Designation: MS3443
 Manufacturer's Designation: DBC53 ()
 Class: H
 Contact Style: P
 Shell: 8C Insert: 33, 98
 Shell: 10C Insert: 6
 Shell: 12C Insert: 3, 8, 10
 Shell: 14C Insert: 4, 5, 12, 15, 18, 19
 Shell: 16C Insert: 8, 23, 26
 Shell: 18C Insert: 8, 11, 32
 Shell: 20C Insert: 16, 39, 41
 Shell: 22C Insert: 12, 21, 41, 55
 Shell: 24C Insert: 31, 61
 Shell: 10B Insert: 6
 Test or Qualification Reference: 26482-626-84

Supplier: Glasseal Products, Inc.

Government Designation: MS3443
Manufacturer's Designation: 443 ()
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

Supplier: Sealtron, Inc.

Government Designation: MS3449
Manufacturer's Designation: 6315-(), SP-M134
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-599-84

Supplier: Glasseal Products, Inc.

Government Designation: MS3449
Manufacturer's Designation: 449 ()
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

Supplier: Hermetic Seal Corporation

Government Designation: MS3443
Manufacturer's Designation: HR-SS11A-()
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Hermetic Seal Corporation

Government Designation: MS3449
Manufacturer's Designation: HR-SS12A-()
Class: H
Terminal Type: A, C, B
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Deutsch (Municipal Airport)

Government Designation: MS3449
Manufacturer's Designation: DBC54 ()
Class: H
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26486-626-84

Supplier: Souriau

Government Designation: MS3449
 Manufacturer's Designation: 85267 ()
 Class: H
 Terminal Type: C
 Contact Style: P
 Shell: 8 Insert: 33
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 10
 Shell: 14 Insert: 5, 12, 15, 19
 Shell: 16 Insert: 8, 26
 Shell: 18 Insert: 32
 Shell: 20 Insert: 16, 41
 Shell: 22 Insert: 21, 41, 55
 Shell: 24 Insert: 61
 Test or Qualification Reference: 26482-115-87

**Supplier: ITT Cannon
ITT Cannon (Mexico)**

Government Designation: MS3470
 Manufacturer's Designation: PV70 ()
 Class: A, L, W
 Contact Style: P, S
 Shell: 8 Insert: 33, 98
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 8, 11, 12
 Shell: 20 Insert: 16, 39, 41
 Shell: 22 Insert: 21, 41, 55
 Shell: 24 Insert: 19, 31, 61
 Test or Qualification Reference: 26482-950-83

Supplier: Deutsch

Government Designation: MS3470
 Manufacturer's Designation: AFD50- ()
 Class: A, L, W
 Contact Style: P, S
 Shell: 8 Insert: 33, 98
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 8, 11, 30, 32
 Shell: 20 Insert: 16, 39, 41
 Shell: 22 Insert: 12, 21, 32, 41, 55
 Shell: 24 Insert: 19, 31, 61
 Test or Qualification Reference: 26482-626-84

Supplier: Aero Electric Connector, Inc.

Government Designation: MS3470
 Manufacturer's Designation: AE770 ()
 Class: A, L, W
 Terminal Type: A, B, C
 Contact Style: P, S
 Shell: 8 Insert: 33, 98
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
 Shell: 16 Insert: 8, 14, 23, 26
 Shell: 18 Insert: 8, 11, 30, 32
 Shell: 20 Insert: 16, 24, 39, 41
 Shell: 22 Insert: 12, 21, 41, 55, 95
 Shell: 24 Insert: 19, 31, 61
 Test or Qualification Reference: 26482-658-83

Supplier: Amphenol Aerospace/Matrix Connectors

Government Designation: MS3470
 Manufacturer's Designation: MB10 ()
 Class: A, L, W
 Contact Style: P, S
 Shell: 8 Insert: 33, 98
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 8, 11, 30, 32
 Shell: 20 Insert: 16, 24, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
 Shell: 24 Insert: 19, 31, 61
 Test or Qualification Reference: 26482-102-98
Style S Only: 14-09, 16-23, 18-11, 18-30, 20-24, 22-12, 22-19, 22-32, 24-19, 24-31

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3470
 Manufacturer's Designation: PTS00DRL ()
 Class: A, L, W
 Contact Style: P, S
 Shell: 8 Insert: 33, 98
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 8, 11, 32
 Shell: 20 Insert: 16, 39, 41
 Shell: 22 Insert: 21, 41, 55
 Shell: 24 Insert: 31, 61
 Test or Qualification Reference: 26482-1323-83

Supplier: Souriau

Government Designation: MS3470
 Manufacturer's Designation: 8526-O ()
 Class: L, W
 Contact Style: P, S
 Shell: 8 Insert: 33, 98
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 10
 Shell: 14 Insert: 4, 5, 12, 15, 19
 Shell: 16 Insert: 8, 26
 Shell: 18 Insert: 8, 11, 32
 Shell: 20 Insert: 16, 39, 41
 Shell: 22 Insert: 12, 21, 41, 55
 Shell: 24 Insert: 19, 31, 61
 Test or Qualification Reference: 26482-1165-83

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3471
 Manufacturer's Designation: PTS01DRL ()
 Class: A, L, W
 Contact Style: P, S
 Shell: 8 Insert: 33, 98
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 8, 11, 32
 Shell: 20 Insert: 16, 39, 41
 Shell: 22 Insert: 21, 41, 55
 Shell: 24 Insert: 31, 61
 Test or Qualification Reference: 26482-1323-83

Supplier: Deutsch

Government Designation: MS3471
 Manufacturer's Designation: AFD51- ()
 Class: A, L, W
 Contact Style: P, S
 Shell: 8 Insert: 33, 98
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 8, 11, 30, 32
 Shell: 20 Insert: 16, 39, 41
 Shell: 22 Insert: 12, 21, 32, 41, 55
 Shell: 24 Insert: 19, 31, 61
 Test or Qualification Reference: 26482-626-84

Supplier: Aero Electric Connector, Inc.

Government Designation: MS3471
 Manufacturer's Designation: AE771 ()
 Class: A, L, W
 Contact Style: P, S
 Shell: 8 Insert: 33, 98
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
 Shell: 16 Insert: 8, 14, 23, 26
 Shell: 18 Insert: 8, 11, 30, 32
 Shell: 20 Insert: 16, 24, 39, 41
 Shell: 22 Insert: 12, 21, 41, 55, 95
 Shell: 24 Insert: 19, 31, 61
 Test or Qualification Reference: 26482-658-83

Supplier: Amphenol Aerospace/Matrix Connectors

Government Designation: MS3471
 Manufacturer's Designation: MB13 ()
 Class: A, L, W
 Contact Style: P, S
 Shell: 8 Insert: 33, 98
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 8, 11, 30, 32
 Shell: 20 Insert: 16, 24, 39, 41
 Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
 Shell: 24 Insert: 19, 31, 61
 Test or Qualification Reference: 26482-102-98
Style S Only: 14-09,16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-31

**Supplier: ITT Cannon
ITT Cannon (Mexico)**

Government Designation: MS3471
 Manufacturer's Designation: PV71 ()
 Class: A, L, W
 Contact Style: P, S
 Shell: 10 Insert: 6
 Shell: 12 Insert: 3, 8, 10
 Shell: 14 Insert: 4, 5, 12, 15, 18, 19
 Shell: 16 Insert: 8, 23, 26
 Shell: 18 Insert: 8, 11, 32
 Shell: 20 Insert: 16, 39, 41
 Shell: 22 Insert: 21, 41, 55
 Shell: 24 Insert: 19, 31, 61
 Test or Qualification Reference: 26482-80-84

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3472
Manufacturer's Designation: PTPS00DRL ()
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Amphenol Aerospace/Matrix Connectors

Government Designation: MS3472
Manufacturer's Designation: MB11 ()
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98

Style S Only: 14-09,16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-31

Supplier: Deutsch

Government Designation: MS3472
Manufacturer's Designation: AFD58- ()
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: ITT Cannon

ITT Cannon (Mexico)

Government Designation: MS3472
Manufacturer's Designation: PV72
Class: A, L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-80-84

Supplier: Aero Electric Connector, Inc.

Government Designation: MS3472
Manufacturer's Designation: AE772 ()
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: Hermetic Seal Corporation

Government Designation: MS3473
Manufacturer's Designation: HR-S15A-()
Class: N
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 8, 14, 23, 26, 95, 99
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Souriau

Government Designation: MS3474
Manufacturer's Designation: 8526-7 ()
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

Supplier: Amphenol Aerospace/Matrix Connectors

Government Designation: MS3474
Manufacturer's Designation: MB14
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98

Style S Only: 14-09,16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-34

Supplier: Deutsch

Government Designation: MS3474
Manufacturer's Designation: AFD54- ()
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: ITT Cannon

ITT Cannon (Mexico)

Government Designation: MS3474
Manufacturer's Designation: PV74 ()
Class: A, L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-80-84

Supplier: Aero Electric Connector, Inc.

Government Designation: MS3474
Manufacturer's Designation: AE774 ()
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3474
Manufacturer's Designation: PTS07DRL
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3475
Manufacturer's Designation: 118-28 ()
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-376-84

Supplier: Deutsch

Government Designation: MS3475
Manufacturer's Designation: AFD57- ()
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: ITT Cannon
ITT Cannon (Mexico)**

Government Designation: MS3475
Manufacturer's Designation: PV75 ()
Class: L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-950-83

Supplier: Amphenol Aerospace/Matrix Connectors

Government Designation: MS3475
Manufacturer's Designation: MB18 ()
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
**Style S Only: 14-09, 16-23,18-11,18-30,20-24,22-12,22-19,22-32,2;
95,24-19,24-31**

Supplier: Souriau

Government Designation: MS3475
Manufacturer's Designation: 8526-5 ()
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83, 26482-078-96

Supplier: Aero Electric Connector, Inc.

Government Designation: MS3475
Manufacturer's Designation: AE775 ()
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83, 26482-958-83

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS3476
Manufacturer's Designation: PTS06DRL ()
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Souriau

Government Designation: MS3476
Manufacturer's Designation: 8526-6 ()
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

Supplier: Aero Electric Connector, Inc.

Government Designation: MS3476
Manufacturer's Designation: AE776 ()
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: ITT Cannon

ITT Cannon (Mexico)

Government Designation: MS3476
Manufacturer's Designation: PV76 ()
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-950-83

Supplier: Amphenol Aerospace/Matrix Connectors

Government Designation: MS3476
Manufacturer's Designation: MB16 ()
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98

Supplier: Deutsch

Government Designation: MS3476
Manufacturer's Designation: AFD56- ()
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Hermetic Seal Corporation

Government Designation: MS3477

Manufacturer's Designation: HR-S16A-()

Class: N

Contact Style: P

Shell: 8D Insert: 2, 3, 4, 33, 98

Shell: 10D Insert: 6, 98

Shell: 12D Insert: 3, 8, 10

Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22

Shell: 16D Insert: 8, 14, 23, 26, 95, 99

Shell: 18D Insert: 8, 11, 30, 32, 85, 88

Shell: 20D Insert: 16, 24, 27, 39, 41

Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96

Shell: 24D Insert: 19, 27, 31, 61

Test or Qualification Reference: 26482-356-84

Supplier: Hermetic Seal Corporation

Government Designation: MS3479

Manufacturer's Designation: HR-S18A-()

Class: N

Contact Style: P

Shell: 8D Insert: 2, 3, 4, 33, 98

Shell: 10D Insert: 6, 98

Shell: 12D Insert: 3, 8, 10

Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22

Shell: 16D Insert: 4, 5, 9, 12, 15, 18, 19, 22

Shell: 18D Insert: 8, 11, 30, 32, 85, 88

Shell: 20D Insert: 16, 24, 27, 39, 41

Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96

Shell: 24D Insert: 19, 27, 31, 61

Test or Qualification Reference: 26482-356-84

Manufacturer and Supplier Location Information

Manufacturer: Aero Electric Connector, Inc. (CAGE Code: 59976)

Location: 548 Amapola Avenue, Torrance, CA 90501, US

Plant Location: Same Address as Manufacturer

Assembly Plant Locations:

1. A. E. Petsche Company, Inc., 2112 West Division, Arlington, TX 76012, US
2. Airtechnics, Inc., 3851 N. Webb Road, Wichita, KS 67226, US
3. Avnet EMG, 2200 William D. Tate Avenue, Grapevine, TX 76051, US
4. Avnet/Electro Air, 500 Lake Ridge Drive S.E., Smyrna, GA 30082, US
5. Avnet/Time Electronics, 10A Centennial Drive, Peabody, MA 01960, US
6. BTC Electronic Components, Inc., 5809 Departure Drive, Raleigh, NC 27604, US
7. Benchmark Connector Corp., 4503 N.W. 103rd Avenue, Bay 4, Sunrise, FL 33351, US
8. Circular Connectors, Inc., 3250 Corte Malpaso, Camarillo, CA 93012, US
9. Conesys Europe, Aero Electric Connectors, Symbol F, 24 Avenue J Monnet, 31770 Colomiers, France
10. Electronic Connector Corp., 6332 S. Central Avenue, Chicago, IL 60638, US

Manufacturer: Amphenol Aerospace (CAGE Code: 77820)

Location: 40-60 Delaware Avenue, Sidney, NY 13838-1395, US

Plant Locations:

1. Amphenol Aerospace (Mexico), Products de Memoria S.A. de C.V., Carretera International, Terrazas del cid Km 7.5, Nogales, Sonora, Mexico
2. Amphenol Aerospace Matrix Business Unit, 7077 Consolidated Way, Suite H, San Diego, CA 92121, US
3. Amphenol Aerospace/Amphenol Connectors, Same Address as Manufacturer
4. Amphenol Aerospace/Matrix Connectors, Same Address as Manufacturer

Assembly Plant Locations:

1. Amphenol Japan, Ltd., (for Amphenol Connectors), 689-1 Aza Nogami Iseochi, Ritto-Cho, Shiga 520-30, Japan
2. Arrow PEMCO, (for Amphenol Connectors and Matrix Connectors), 9801 Legler Road, Lenexa, KS 66219, US
3. Avnet EMG, (for Amphenol Connectors and Matrix Connectors), 2200 William D. Tate Avenue, Grapevine, TX 76051, US
4. PEI Genesis, 1915 North Bendix Drive, South Bend, IN 46628, US
5. Powell Electronics, Inc., (for Amphenol Connectors and Matrix Connectors), P.O. Box 8765, South Island Road, Philadelphia, PA 19101, US
6. T.T.I., Inc., (for Amphenol Connectors and Matrix Connectors), 4033 East Belknap Street, Fort Worth, TX 76111, US

Manufacturer: Array Connector Corp. (CAGE Code: 0J4E7)

Location: 12555 S.W. 130 Street, Miami, FL 33186, US

Plant Location: Same Address as Manufacturer

Assembly Plant Locations:

1. Alatec Products, Inc., 21123 Nordoff Street, Chatsworth, CA 91311, US
2. Avio-Diepen bv, J. Keplerweg 16, 2400 AN Alphen an der Rijn, The Netherlands
3. Circular Connectors, Inc., 3250 Corte Malpaso, Camarillo, CA 93012, US
4. Koehlke Components, Inc., 9400 Lebanon Pike, Centerville, OH 45458, US
5. TRI-COM, Inc., 359 E. Madison Avenue, Clifton Heights, PA 19018, US

Manufacturer: Deutsch (CAGE Code: 11139)

Location: Engineered Connecting Devices, 5733 W. Whittier Avenue, Hemet, CA 92545, US

Plant Locations:

1. Same Address as Manufacturer
2. Deutsch (Municipal Airport), Municipal Airport, Oceanside, CA 92054, US

Assembly Plant Locations:

1. Airtechnics, Inc., 3851 North Webb Road, Wichita, KS 67226, US
2. Arrow, Symbol: R, 10871 La Tuna Canyon Road, Sun Valley, CA 91352, US
3. Deutsch Dagan, Ltd., P.O. Box 5010, Ashkelon, 78150, Israel
4. Hellerman Deutsch, Ltd., Imberhorne Way, East Grinstead, West Sussex RH IRW, England
5. U.S. Department of Justice, Unicor, Federal Prison Industries, Box 1880, Black Canyon Road, Phoenix, AZ 85029, US

Manufacturer and Supplier Location Information

Manufacturer: Glasseal Products, Inc. (CAGE Code: 10025)

Location: P.O. Box 978, 485 Oberlin, Lakewood, NJ 08701, US

Plant Location: Same Address as Manufacturer

Assembly Plant Location: Sealtron, Inc., 9705 Reading Road, Cincinnati, OH 45215, US

Manufacturer: Glenair, Inc. (CAGE Code: 06324)

Location: 1211 Air Way, Glendale, CA 91201, US

Plant Location: Same Address as Manufacturer

Manufacturer: Hermetic Seal Corporation (CAGE Code: 04820)

Location: 4232 Temple City Boulevard, Rosemead, CA 91770, US

Plant Location: Same Address as Manufacturer

Manufacturer: ITT Cannon (CAGE Code: 71468)

Location: 666 East Dyer Road, Santa Ana, CA 90602, US

Plant Locations:

1. Same Address as Manufacturer
2. ITT Cannon (Mexico), Prolongacion, Avenieda Obregon #3673, Nogales, Sonora, Mexico

Assembly Plant Locations:

1. Arrow Pemco, 9801 Legler Road, Lenexa, KS 66219, US
2. Astrex, Inc., 205 Express Street, Plainview, LI, NY 11803, US
3. Avnet EMG, 2200 William D. Tate Avenue, Grapevine, TX 76051, US
4. Avnet/Electro Air, 500 Lake Ridge Drive, S.E., Smyrna, GA 30082, US
5. Avnet/Time Electronics-Arizona, 1301 West Geneva Drive, Tempe, AZ 85282, US
6. Avnet/Time Electronics-New England, 10 Centennial Drive, Peabody, MA 01960, US
7. Electronic Connector Corp., 6332 S. Central Avenue, Chicago, IL 60638, US
8. Harrison Equipment Company, Inc., 13715 Murphy Road, Stafford, TX 77477, US
9. PEI-Genesis Electronics, 1915 N. Bendix Drive, South Bend, IN 46628, US
10. Pan Pacific Electronics, Inc., 17985 N.E. 65th Street, Redmond, WA 98052, US

Manufacturer: Sealtron, Inc. (CAGE Code: 97814)

Location: 9705 Reading Road, Cincinnati, OH 45215-3592, US

Plant Location: Same Address as Manufacturer

Manufacturer: Souriau (CAGE Code: F0225)

Location: 9, rue de la Porte de Buc, 78000 Versailles, France

Plant Location: Souriau, Route National 23, 72470 Champagne, France

Assembly Plant Locations:

1. Air Electro Supply, Inc., 92452 DeSoto Avenue, Chatsworth, CA 91313, US
2. Arrow Richey Electronics, 9801 Legler Road, Lenexa, KS 66219, US
3. BJG Electronics, Inc., 160 Gary Way, Ronkonkoma, NY 11779, US
4. Connector Technology, Inc., 135 Industry Court, Kalispell, MT 59901-7991, US
5. Wings Electro Sales Company, Inc., 11300 Fortune Circle, Wellington, FL 33414, US

Manufacturer and Supplier Location Information

Manufacturer: Souriau USA, Inc. (CAGE Code: 09922)

Location: 25 Grumbacher Road, York, PA 17402, US

Plant Locations:

1. Same Address as Manufacturer
2. Souriau Dominican Republic, LTD, Zona Franca Industrial, Apartado 64-2, Santiago de Los Caballeros, Dominican Republic

Assembly Plant Locations:

1. Capstone Electronics, 3254 Fraser Street, Aurora, CO 80011, US
2. Connector Technology, Inc., 9 Veronica Avenue, Somerset, NJ 08873, US
3. Connectors Plus, 63 E. Broad Street, Hatfield, PA 19440, US
4. Electro Enterprises, 3601 N. Interstate 35, Oklahoma City, OK 73136, US
5. Iris Electronics, 150 Schmitt Boulevard, Farmingdale, NY 11735, US
6. Lectronix, 13760 Shoreline Drive, Earth City, MO 63045, US
7. National Connect-Tronix, 4801 Spring Valley Road, Dallas, TX 75244, US
8. Spec Connector, 25371 Joy Boulevard, Mt. Clemens, MI 48095, US
9. Summit Distributors, 916 Main Street, Buffalo, NY 14202, US
10. West Air International, 3655 C. Street N.E., Auburn, WA 98002, US
11. Wings Electro Sales Company, Inc., 11300 Fortune Circle, Wellington, FL 33414, US

Manufacturer: Southwest Connector Technologies, Inc. (CAGE Code: 086M0)

Location: P.O. Box 1192, Weatherford, TX 76086, US

Plant Location: 3577 N. FM Road 51, Weatherford, TX 76088, US

Manufacturer: Sunbank Electronics, Inc. (CAGE Code: 07418)

Location: 1740 Commerce Way, Paso Robles, CA 93446, US

Plant Location: Same Address as Manufacturer

Manufacturer: VEAM (CAGE Code: 55561)

Location: Division of Litton Systems, Inc., 100 New Wood Road, Watertown, CT 06795, US

Plant Locations:

1. Same Address as Manufacturer
2. VEAM-S. P. A., Via Statuto, 2, I - 20020 Arese, Milan, Italy